

The DSP Transition: DER Developer Perspective Let's Build!

March 28, 2018

Will Fischer

Director, Business Development, Summit Ridge Energy

DER Developer Objectives

#1 Goal: Build and finance MW's, drive revenue

How do we accomplish this?

- Understand policy and markets
- Move projects through a development pipeline
- Interconnect with the grid
- Secure financing by lining up bankable cash flows and incentives

Underlying principles:

- Gradually de-risk investments
- Ensure predictable, reliable revenue and system production
- Replicability







Duration: 24-36 months



Interconnection

Land Development

1.	Initial outreach to landowners	1. Submit Interconnection Application
2.	Negotiate Letter of Intent (3 months)	2. Utility performs preliminary system impact study (15+
3.	Negotiate Lease Agreement (6 months)	days)
4.	Begin permitting process with Town Planning Board (6 months)	 Developer pays Utility to undertake full system impact study (60+ days)
5.	Perform site due diligence	4. Developer signs Interconnection Agreement
6.	Create a site plan	Notice to Proceed
_		

Developers only realize ~30% of their total pipeline

Establish Bankable Cash Flows for Financing



- Most DERs are financed through 3rd party financing arrangements
 - \circ $\,$ Developer sells the DER system when built
 - Bank owns the system and realizes an internal rate of return (IRR)
 - Ownership changes hands from Tax to Sponsor equity to monetize tax credits
- Value is determined by underwritable cash flows
 - o System production (yield) x anticipated revenue
- Revenue stack
 - Power purchase agreements (PPAs) with creditworthy entities (i.e. Wal-Mart, City of Saratoga Springs, homeowners with high FICO scores)
 - Capacity contracts
 - o Renewable Energy Credits (RECs)
 - o State incentives (i.e. NY-Sun, MA SMART)



Securing financeable cash flows is KEY to raising capital, maximizing revenue and building your DER

Summit Ridge ENERGY

NY's Net Metering Successor Tariff

VDER Component	Fixed / Variable	Financeable?
Environmental Attribute (E)	Fixed	Y
Capacity (ICAP)	Varies predictably	Y
Energy (Day Ahead LBMP)	Varies predictably	Y
Avoided D: system performance during 10 peak ISO hours	Varies unpredictably	N
Locational System Relief Value (LSRV): Non-Wires Alternative compensation	Varies unpredictably	N

Of 5 potential revenue streams, DER Developer can only underwrite to 3 of them





DSP-Driven Grid Optimization

- Enhanced grid performance, efficiency and reliability
- Increased hosting capacity, allowing greater volume of DER to interconnect and get built
- Opportunity for storage to participate in markets, balance grid and stack revenue streams
- Complex
- Dynamic management of DERs results in Developers losing control over system production (and thus revenue)

Business as Usual

- Inefficient, opaque, static interconnection process
- **Predictable and linear** (little system performance risk to developer)
- Cookie cutter (repeatable)
- Limited capacity
- Limited market for storage



- Large shift from present business model
- We must find ways to maintain system financeability while transitioning to a new grid paradigm
- Ultimately, goals of increasing DER penetration and hitting renewable energy standards is aligned



Will Fischer Director, Business Development 646-979-7066 wfischer@srenergy.com